



Part No.	D_e mm	D_i mm	l_o mm	t mm	Waves	Working Height mm	Working load N	Stress N/mm ²
102500	15.4	11.7	2.0	0.3	3	1.4	68	1450
102501	18.6	14.7	2.7	0.3	3	1.8	58	1464
102502	21.0	16.0	3.0	0.4	3	2.2	121	1467
102503	21.4	15.3	3.0	0.4	3	2.2	152	1496
102504	25.0	18.7	3.5	0.4	3	2.4	127	1450
102505	27.0	22.0	3.0	0.4	3	1.5	89	1427
102506	27.2	20.8	4.0	0.4	3	2.6	116	1431
102507	29.0	22.6	3.0	0.5	3	1.7	167	1410
102508	31.4	26.6	4.0	0.5	3	2.2	112	1422
102509	34.0	27.8	4.0	0.5	3	2.0	138	1442
102510	37.0	31.0	3.0	0.5	4	1.6	216	1446
102511	38.6	32.8	3.5	0.5	4	1.9	203	1478
102512	40.6	34.1	3.5	0.5	4	1.8	214	1451
102513	41.5	34.5	3.0	0.5	4	1.3	228	1458
102514	42.0	32.0	4.0	0.8	4	3.1	856	1458
102515	44.5	38.5	4.8	1.0	4	3.7	725	1477
102516	45.5	38.5	4.0	0.5	4	1.8	208	1475
102517	48.0	38.0	3.0	0.8	4	1.7	718	1422
102518	50.0	39.0	4.5	0.8	4	3.1	779	1451
102519	50.5	41.0	3.2	0.5	5	2.0	406	1477
102520	52.0	41.0	3.5	0.5	5	2.3	462	1472
102521	52.5	42.5	5.3	1.1	4	4.1	1251	1446
102522	53.0	41.0	3.5	0.8	4	2.0	805	1452
102523	60.2	50.2	3.9	0.5	5	2.1	356	1482
102524	60.4	50.0	3.2	0.6	5	1.8	519	1443
102525	61.5	46.5	5.5	1.1	4	4.1	1652	1447

Part No.	D _e mm	D _i mm	l ₀ mm	t mm	Waves	Working Height mm	Working load N	Stress N/mm ²
102526	63.5	53.0	4.0	0.5	5	2.0	353	1477
102527	65.0	55.0	5.7	0.8	4	2.9	533	1471
102528	65.0	55.0	5.7	1.1	5	4.7	1535	1435
102529	69.0	60.0	3.0	0.8	6	1.4	701	1480
102530	69.0	59.0	5.5	0.5	5	3.1	297	1433
102531	84.0	72.0	5.7	0.8	5	3.4	771	1476
102532	84.0	72.0	4.7	0.8	6	3.1	1112	1478
102533	84.0	72.0	5.6	1.1	6	4.5	2078	1461
102534	87.6	78.1	4.5	0.6	6	2.0	465	1476
102535	88.0	77.0	3.6	0.6	5	1.5	225	885
102536	92.0	80.0	6.0	0.8	6	4.1	971	1424
102537	92.0	80.0	6.0	1.0	6	4.5	1547	1452
102538	92.0	80.0	5.6	1.1	6	4.2	1860	1442
102539	93.0	73.0	5.0	0.8	6	3.4	1680	1426
102540	93.0	79.0	6.7	1.1	6	5.3	2222	1476
102541	96.0	85.0	5.2	0.8	6	3.0	869	1462
102542	97.0	87.5	5.6	0.6	6	2.6	400	1412
102543	99.0	87.0	6.0	0.8	6	3.7	920	1458
102544	102.0	89.0	5.6	0.8	6	3.2	967	1453
102545	107.3	97.6	4.6	0.6	7	2.4	506	1429
102546	110.0	97.0	6.7	0.8	6	3.9	877	1428
102547	116.4	107.0	5.8	0.6	7	3.1	460	1460
102548	120.8	111.6	5.9	0.6	7	3.0	427	1442
102549	123.0	107.0	5.0	1.0	7	3.4	2080	1438
102550	124.0	111.0	5.8	0.8	7	3.6	1084	1472
102551	128.0	115.0	6.0	0.8	7	3.7	1021	1434
102552	128.0	115.0	5.0	0.6	6	3.0	160	545
102553	128.5	109.5	4.8	0.8	6	3.0	561	718
102554	132.0	114.0	6.0	0.8	7	3.7	1418	1456
102555	137.0	125.0	6.0	0.8	8	3.9	1153	1449
102556	138.5	119.8	4.6	0.9	6	3.0	538	601
102557	142.0	127.5	6.0	0.8	8	3.8	1363	1457
102558	148.8	125.4	4.6	0.9	6	3.0	578	547
102559	158.0	144.0	6.6	0.8	8	3.8	1173	1455
102560	159.0	137.0	4.5	1.0	6	3.0	543	478
102561	169.0	142.0	4.3	1.0	6	3.0	511	385
102562	179.0	145.0	4.8	1.0	6	3.0	817	510
102563	187.5	154.5	5.0	1.2	6	4.0	637	300

Part No.	D _e mm	D _i mm	l ₀ mm	t mm	Waves	Working Height mm	Working load N	Stress N/mm ²
102564	197.5	166.5	5.5	1.2	6	4.0	727	388
102565	208.0	190.0	5.1	1.5	7	4.0	998	471
102566	212.0	182.0	7.0	1.4	6	4.0	1731	759
102567	223.0	205.0	5.5	1.5	7	4.0	1087	552
102568	237.0	204.0	7.5	1.4	6	4.0	1580	705
102569	238.0	220.0	5.1	1.8	7	4.0	1118	422